

COPRIGIUNTO LINEARE **RIACCESSIBILE** mod.FT-89

ENTERABLE STRAIGHT JUNCTION COVER mod.FT-89

COPRIGIUNTO LINEARE mod.FT-89 riaperto per poter eseguire qualsiasi tipo di intervento. Classe di protezione IP 68, garantisce l'utilizzo in ambienti esterni e resiste agli agenti atmosferici. Si può utilizzare per giuntare cavi aventi sezione:

- esterna da mm.4 a mm.10
- sezione conduttore da mm.0.5 a mm 1.0

Sopporta una trazione assiale di Kg. 100 applicata al cavo

E' composto da:

- 2 calotte di protezione in ABS che si avvitano tra di loro
- 2 serracavi che si avvitano all'estremità delle calotte per bloccare i cavetti
- 1 modulo di giunzione posto all'interno che serve per giuntare i 2 cavetti

RIACCESSIBILE The ENTERABLE STRAIGHT JUNCTION COVER serve per unire tra di loro due MOD.FT-89 is used to join together two cables / cavetti/multicoppia e (se necessario) può essere multipair and (if necessary) may be reopened to execute any type of work.

> Protection class IP 68, guarantees the use in outdoor environments and weather resistant.

> It can be used for splicing cables with a cross section:

- 4 mm to 10 mm external
- section conductor mm.0, 5 to 1.0 mm It bears an axial tension of 100 kg applied to the cable

It's 'consists of:

- 2 protective covers in ABS that are screwed to each other
- 2 cable gland that are screwed to the end of protective covers to block the wires
- 1 junction module placed inside that you need to join the 2 wires





Codice Prodotto: 9114003 Product Code: 9114003